

L Number	Hits	Search Text	DB	Time stamp
1	0	bernstein-k\$,in.	USPAT; EPO; JPO; DERWENT	2004/06/11 13:29
2	108	bernstein-k\$.in.	USPAT; EPO; JPO; DERWENT	2004/06/11 13:56
3	761	LSSD or (level adj2 sensitive adj2 scan adj2 design)	USPAT; EPO; JPO; DERWENT	2004/06/11 13:57
4	0	(LSSD or (level adj2 sensitive adj2 scan adj2 design)) and bernstein-k\$.in.	USPAT; EPO; JPO; DERWENT	2004/06/11 13:57
5	45	(LSSD or (level adj2 sensitive adj2 scan adj2 design)) and (stress\$4 or burn-in or (reliablity adj2 test))	USPAT; EPO; JPO; DERWENT	2004/06/11 13:58
6	30	(LSSD or (level adj2 sensitive adj2 scan adj2 design)) and (stress\$4 or burn-in or (reliablity adj2 test)) and (VCC or VDD or voltage\$1 or (power adj2 rail\$1))	USPAT; EPO; JPO; DERWENT	2004/06/11 13:59
7	27	(LSSD or (level adj2 sensitive adj2 scan adj2 design)) and (stress\$4 or burn-in or (reliablity adj2 test)) and (VCC or VDD or voltage\$1 or (power adj2 rail\$1)) and (flip-flop\$1 or latch\$3)	USPAT; EPO; JPO; DERWENT	2004/06/11 14:00
8	27	(LSSD or (level adj2 sensitive adj2 scan adj2 design)) and (stress\$4 or burn-in or (reliablity adj2 test)) and (VCC or VDD or voltage\$1 or (power adj2 rail\$1)) and (flip-flop\$1 or latch\$3) and (logic or core or combinatorial)	USPAT; EPO; JPO; DERWENT	2004/06/11 14:00
9	27	(LSSD or (level adj2 sensitive adj2 scan adj2 design)) and (stress\$4 or burn-in or (reliablity adj2 test)) and (VCC\$1 or VDD\$1 or voltage\$1 or (power adj2 rail\$1)) and (flip-flop\$1 or latch\$3) and (logic or core or combinatorial)	USPAT; EPO; JPO; DERWENT	2004/06/11 14:01
10	36	(LSSD or (level adj2 sensitive adj2 scan adj2 design)) and (stress\$4 or burn-in or (reliablity adj2 test)) and (VCC\$1 or VDD\$1 or voltage\$1 or (power adj2 rail\$1) or de-power\$ or power\$4) and (flip-flop\$1 or latch\$3) and (logic or core or combinatorial)	USPAT; EPO; JPO; DERWENT	2004/06/11 14:02

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE


[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)

 Welcome
 United States Patent and Trademark Office


» Sea

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched **1109** of **1043368** documents.
 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Analysis of grouped and censored data from step-stress life test

Chengjie Xiong; Ming Ji;

Reliability, IEEE Transactions on , Volume: 53 , Issue: 1 , March 2004

Pages:22 - 28

[\[Abstract\]](#) [\[PDF Full-Text \(224 KB\)\]](#) IEEE JNL

2 Selection of display devices used at man-machine interfaces based on human factors

Muraoka, T.; Ikeda, H.;

Industrial Electronics, IEEE Transactions on , Volume: 51 , Issue: 2 , April 200

Pages:501 - 506

[\[Abstract\]](#) [\[PDF Full-Text \(304 KB\)\]](#) IEEE JNL

3 Optical fiber stress-location measurement by synthesis of binary op coherence function

Hotate, K.; Kuramoto, A.; Zuyuan He;

Photonics Technology Letters, IEEE , Volume: 16 , Issue: 2 , Feb. 2004

Pages:578 - 580

[\[Abstract\]](#) [\[PDF Full-Text \(120 KB\)\]](#) IEEE JNL

4 Polymer MEMS-based Fabry-Perot shear stress sensor

Fan-Gang Tseng; Chun-Jun Lin;

Sensors Journal, IEEE , Volume: 3 , Issue: 6 , Dec. 2003

Pages:812 - 817

[\[Abstract\]](#) [\[PDF Full-Text \(1075 KB\)\]](#) IEEE JNL

5 Stress Relaxation and Fatigue of Two Electromechanical Spring Mate Strengthened by Thermomechanical Processing*Fox, A.;*

Parts, Materials and Packaging, IEEE Transactions on , Volume: 7 , Issue: 1 , 1971

Pages:34 - 47

[\[Abstract\]](#) [\[PDF Full-Text \(1512 KB\)\]](#) IEEE JNL**6 Thin-Film Al-Al₂O₃-Al Capacitors***Martin, J.;*

Parts, Materials and Packaging, IEEE Transactions on , Volume: 1 , Issue: 1 , 1965

Pages:267 - 276

[\[Abstract\]](#) [\[PDF Full-Text \(1088 KB\)\]](#) IEEE JNL**7 Application of the Eyring Model to Capacitor Aging Data***Endicott, H.; Hatch, B.; Sohmer, R.;*

Component Parts, IEEE Transactions on , Volume: 12 , Issue: 1 , Mar 1965

Pages:34 - 41

[\[Abstract\]](#) [\[PDF Full-Text \(1248 KB\)\]](#) IEEE JNL**8 A Photo-Patternable Stress Relief Material for Plastic Packaged Integrated Circuits***Cagan, M.; Ridley, D.;*

Components, Hybrids, and Manufacturing Technology, IEEE Transactions on [also IEEE Trans. on Components, Packaging, and Manufacturing Technology, A, B, C] , Volume: 11 , Issue: 4 , Dec 1988

Pages:611 - 617

[\[Abstract\]](#) [\[PDF Full-Text \(1576 KB\)\]](#) IEEE JNL**9 Reliability of Metallized Ceramic/Polyimide Substrates***Homa, T.; Posocco, A.;*

Components, Hybrids, and Manufacturing Technology, IEEE Transactions on [also IEEE Trans. on Components, Packaging, and Manufacturing Technology, A, B, C] , Volume: 9 , Issue: 4 , Dec 1986

Pages:396 - 402

[\[Abstract\]](#) [\[PDF Full-Text \(904 KB\)\]](#) IEEE JNL**10 Solder Attachment of Leaded Components to Thick Film Hybrids***Panousis, N.; Kershner, R.;*

Components, Hybrids, and Manufacturing Technology, IEEE Transactions on [also IEEE Trans. on Components, Packaging, and Manufacturing Technology, A, B, C] , Volume: 4 , Issue: 4 , Dec 1981

Pages:411 - 416

[\[Abstract\]](#) [\[PDF Full-Text \(1184 KB\)\]](#) IEEE JNL**11 Reliability Evaluation of Aluminum-Metallized MOS Dynamic RAM's**

Plastic Packages in High Humidity and Temperature Environments*Striny, K.; Schelling, A.;*

Components, Hybrids, and Manufacturing Technology, IEEE Transactions on [also IEEE Trans. on Components, Packaging, and Manufacturing Technology, A, B, C] , Volume: 4 , Issue: 4 , Dec 1981

Pages:476 - 481

[\[Abstract\]](#) [\[PDF Full-Text \(832 KB\)\]](#) [IEEE JNL](#)

12 Role of Reliability and Accelerated Testing in VHSIC Technology*Malik, S.;*

Components, Hybrids, and Manufacturing Technology, IEEE Transactions on [also IEEE Trans. on Components, Packaging, and Manufacturing Technology, A, B, C] , Volume: 5 , Issue: 1 , Mar 1982

Pages:138 - 141

[\[Abstract\]](#) [\[PDF Full-Text \(480 KB\)\]](#) [IEEE JNL](#)

13 Stress testing FET gates without the use of test patterns*Puri, Y.;*

Solid-State Circuits, IEEE Journal of , Volume: 10 , Issue: 5 , Oct 1975

Pages:294 - 298

[\[Abstract\]](#) [\[PDF Full-Text \(448 KB\)\]](#) [IEEE JNL](#)

14 An Optimized and Reliable LDD Structure for 1-/spl mu/m NMOSFE Based on Substrate Current Analysis*Matsumoto, Y.; Higuchi, T.; Mizuno, T.; Sawada, S.; Shinozaki, S.; Ozawa, O.*

Solid-State Circuits, IEEE Journal of , Volume: 20 , Issue: 1 , Feb 1985

Pages:349 - 353

[\[Abstract\]](#) [\[PDF Full-Text \(736 KB\)\]](#) [IEEE JNL](#)

15 1.3 μ m buried heterojunction laser diodes under high electrical stress Leakage currents and aging behavior*Kuindersma, P.; Valster, A.; Baks, W.;*

Quantum Electronics, IEEE Journal of , Volume: 21 , Issue: 6 , Jun 1985

Pages:726 - 736

[\[Abstract\]](#) [\[PDF Full-Text \(2992 KB\)\]](#) [IEEE JNL](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#)
[25](#) [26](#) [27](#) [28](#) [29](#) [30](#) [31](#) [32](#) [33](#) [34](#) [Next](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online](#)
[Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved